

7170 | JOG LEVER



Putting you in control.

The Kobelt 7170 Jog Lever is used for input jog control of electronic or power hydraulic steering systems. The operator can maneuver the vessel by simply jogging the lever to port or starboard direction. The handle safety returns to centre position upon release.

Constructed of robust bronze and stainless steel, this device will provide a long service life even in outdoor applications.

For those with discerning tastes, the Kobelt comes in black, polished chrome, or a combined finish to suit your preference.

Specifications


Electrical Contacts:	1 Form A, Normally Open (per direction)
Maximum Voltage:	250 VAC / 24 VDC
Maximum Current:	10 A (per switch)
Handle Travel:	20° (per direction)
Operating Force:	1.5 lb·f [6.7 N]
Operating Temperature:	-13°F... 158°F [-25°C...70°C]
Weight:	2.1 lbs [0.95 kg]

Key Benefits

- Designed for durability and reliability
- Easy to install and operate
- Spring centred return
- Die cast silicon bronze and stainless steel
- Available in multiple finishes

SPECIFICATIONS

General Arrangement



Model Code Key

7170-


Gland Exit Location

- 1 = Top
- 2 = Back



Finish Type

- A = Black Body and Chrome Hub
- B = Black Body and Black Hub
- C = Chrome Body and Chrome Hub

Wiring Diagram




Mounting Dimensions



PARTS LISTING

Exploded Parts List



ITEM	QTY.	PART NUMBER	DESCRIPTION
1	1	7170-0001B	JOG LEVER HOUSING, BLACK
2	1	7170-0002B	JOG LEVER COVER, BLACK
3	1	7170-0003	CAM
4	1	7170-0004-K	HUB, CHROME
5	1	7170-0005	HANDLE SHAFT
6	1	7170-0006	SHAFT
7	2	7170-0007	BRACKET, SPRING ARM
8	1	7170-0009	SPACER, JOG LEVER
9	1	7170-0010	BUSHING, SLEEVE, 7MM ID, G300 PLASTIC
10	1	2030-0001	KNOB, BLACK
11	2	6001-0104	MICROSWITCH
12	1	6001-0248	CABLE GLAND, M16 X 1.5, NYLON, BLACK
13	2	6001-0248-W-M16	WASHER, M16, PE, CLEAR
14	1	6001-0311	PLUG, CABLE GLAND, M16 X 1.5, BLACK
15	4	1006-0310	SCREW, PAN HD SLOTTED, 3-48 X 5/8, 18-8
16	4	1009-0810	SCREW, FLAT HD PHL, 10-24 X 5/8, 18-8
17	1	1024-0814	SPRING PIN, 3/16 X 7/8, SS
18	2	6014-0001	CABLE, 3C/18AWG, SVT, 300V, 105C
19	1	7170-RK	REPAIR KIT (SEALS AND SPRING) FOR 7170